

HT 11

SINGLE SKIN HOOD-TYPE
DISHWASHERS

DIHR
we mean clean



The DIHR hood-type dishwashers offer a wide range of models, from the ones that can be equipped with the most advanced options, to the most innovative types, designed with avant-garde electronics and with all options included. Our products have evolved together with our experience and our customers' hints and insights.

Therefore we are able to produce tailor-made models that fulfil our final customers' criteria of functionality, reliability and versatility. Our aim is to reduce consumptions in terms of energy, water and chemical products, therefore granting the final user global savings, but also less pollution and waste of natural resources.



TOUCH PANEL

The LED panel displays the temperatures of both tank and boiler, the wash cycle and status and eventual main alarm codes for malfunctions. There are four wash cycles available. These innovations are designed to provide DIHR's customers with even more user friendly machines, maintaining the same high performances.

FEATURES HT 11 ECO / HT 11











- Two wash cycles
- Hood operating start/stop functions
- Tank deep-formed bottom
- Pump filter
- Built-in rinse-aid pump
- Tank and boiler thermometres
- Easily removable basket support
- Linear or corner layouts
- Innovative system of coupled wash and rinse arms in polypropylene and fiber of glass (HT 11 ECO)
- Independent stainless steel wash arms and polypropylene and fiber of glass rinse arms (HT 11)
- Surface filters in polypropylene (HT 11 ECO)
- S/S surface filters (HT 11)
- Built-in water softener available (HT 11)

FEATURES HT 11 ECO T / HT 11 T

- Easy and intuitive LED control panel
- Four wash cycles
- Hood operating start/stop functions
- Tank deep-formed bottom
- Built-in rinse-aid pump
- Tank and boiler thermometres
- Surface filters
- Easily removable basket support
- Linear or corner layouts
- Self-cleaning cycle
- Innovative system of coupled wash and rinse arms in polypropylene and fiber of glass (HT 11 ECO T)
- Independent stainless steel wash arms and polypropylene and fiber of glass rinse arms (HT 11 T)
- Surface filters in polypropylene (HT 11 ECO T)
- S/S surface filters (HT 11 T)
- Automatic built-in water softener available (HT 11 T)

HT 11

SINGLE SKIN HOOD-TYPE
DISHWASHERS

Model		Voltage	Capacity	Dimensions	Code
HT 11 ECO	2 PROGRAMS				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X C40 1 X C44 2 X 15060 	400 V 3N ~ 50 Hz 6,9 kW	 Ø 410  500x500	720x735x 1445/1880 H 100 kg  530x325x25 H	HT 11 ECO
HT 11	2 PROGRAMS				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X C40 1 X C44 2 X 15060 	400 V 3N ~ 50 Hz 10,2 kW	 Ø 410  500x500	720x735x 1445/1880 H 100 kg  530x325x25 H	HT 11 HT 11 D

X With special basket to be ordered

Model		Voltage	Capacity	Dimensions	Code
HT 11 ECO T	ELECTRONIC 4 PROGRAMS				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X C40 1 X C44 2 X 15060 	<p>400 V 3N ~ 50 Hz</p> <p>6,9 kW</p>	<p>Ø 410</p> <p>500x500</p>	<p>720x735x 1445/1880 H 100 kg</p>	HT 11 ECO T
				<p>GN 1/1</p> <p>530x325x25 H</p>	HT 11 ECO T DA
HT 11 T	ELECTRONIC 4 PROGRAMS				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X C40 1 X C44 2 X 15060 	<p>400 V 3N ~ 50 Hz</p> <p>10,2 kW</p>	<p>Ø 410</p> <p>500x500</p>	<p>720x735x 1445/1880 H 100 kg</p>	HT 11 T
				<p>GN 1/1</p> <p>530x325x25 H</p>	HT 11 T DA

OPTIONS

Model							XP	PS	DDE
	220-240 V 50 Hz	380-415 V 3N 50 Hz	220-240 V 3 50 Hz	380-415 V 3 50 Hz	440 V 3 60 Hz	60 Hz	Extra Power	Drain Pump	Detergent Dispenser
HT 11 ECO	€	●	□	----	----	€	€	€	€
HT 11 *	€	●	□	----	----	€	€	€	€
HT 11 D	€	●	□	----	----	€	€	€	€
HT 11 ECO T	€	●	□	----	----	€	€	€	€
HT 11 ECO T DA	€	●	□	----	----	€	€	€	€
HT 11 T	€	●	□	----	----	€	€	€	€
HT 11 T DA	€	●	□	----	----	€	€	€	€

- Standard
- Upon request
- Not available
- D** Built-in water softener
- DA** Built-in automatic water softener
- T** Soft touch panel
- * Construction according to UL-NSF standards upon request

EAC label upon request

Water supply 55 °C (not on HR version)

	DB	DBE	TS	BT	WRAS	DVGW	PAP	DF
Model	Rinse-Aid Dispenser	Peristaltic Rinse-Aid Disp.	Electr. Timer +Thermostop	Break Tank	Wras	DVGW	Booster Pump	Surface Filters Kit
HT 11 ECO	●	€	●	€	€	€	€	●
HT 11 *	●	€	●	€	€	€	€	●
HT 11 D	●	€	●	----	----	----	€	●
HT 11 ECO T	●	€	●	€	€	€	€	●
HT 11 ECO T DA	●	€	●	----	----	----	€	●
HT 11 T	●	€	●	€	€	€	€	●
HT 11 T DA	●	€	●	----	----	----	€	●













230-240 V 50 HZ For HT 11 total power 7,2 kW upon request

XP In case of cold water supply for rinse (8-55 °C) and without any heat recovery, the extra power option is mandatory. +3000 W with standard voltage only, for other voltages please contact us. In case of cold water supply for rinse (8-15 °C), We recommend the heat recovery option, if available on the selected model

BT - WRAS - DVGW Booster pump included.

DVGW Components prescribed by DVGW on request (check option compatibility with the manufacturer)

Option compatibility to be confirmed by the manufacturer after verification.

	Description	Capacity	Dimensions	Code	
	SLOPED GLASS BASKET	Ø 10 max	500x500x200 H	C 26	
	GLASS BASKET WITH GLASS SUPPORT AND ANTI-TIPPING LID		500x500x235 H	C 135	
	LARGE MESH BASKET	For glasses	500x500x105 H	C 44	
	HOLDER FOR GLASS SUPPORT	For glass support (C112-C113-C114)	500x500x50 H	C111	
	GLASS SUPPORT	5x5 Glass Ø 87 mm (C111)	500x500x50 H	C 112	
	GLASS SUPPORT	4x4 Glass Ø 110 mm (C111)	500x500x50 H	C 113	
	GLASS SUPPORT	6x6 Glass Ø 72 mm (C111)	500x500x50 H	C 114	
	PLATE BASKET	18 Plates	500x500x105 H	C 40	
	GASTRONORM TRAYS BASKET	6 pcs max depth 25mm	500x500x105 H	C 43/B	
	CUTLERY BASKET	Standard (2 pcs)	Ø 120x120 H	15060	
	WATER SOFTENER	12 l	Ø 200x500 H	D 1	
	AUTOMATIC WATER SOFTENER	12 l (max 800 l)	315x510x685 H	D 2	

	Description	Capacity	Dimensions	Code
	SHELF	Only for exit	600x510	T 10
	TABLE		650x510x860 H	T 28
	HOOD CONNECTION SHELF			KIT DUO
	CORNER TABLE		590x590x860 H	A 10
	TABLE		700x590x860 H	T 34 A
			1200x590x860 H	T 34 B
			1200x590x860 H	T 35
		Sink 500x400x270 H	1200x730x860 H	T 50
			1200x730x860 H	T 50 F
			1200x730x860 H	T 55
		Sink 500x400x270 H	1500x730x860 H	T 80
			1500x730x860 H	T 80 E
			1800x730x860 H	T 90
	SHELF		1515x620x660 H	M 16*
	GRADING TABLE WITH RUBBER RING	Waste hole and special dimensions upon request	2315x620x660 H	M 24*
	FLEXIBLE SHOWER complete with mixing group and lever tap, to be fixed to the wall		1600x1000x850 H	TC 16*
			2400x1000x850 H	TC 24*
	FLEXIBLE SHOWER complete with mixing group and lever tap, to be fixed to the wall and intermediate tap		1000 H	D 01
			1000 H	D 02
	STAINLESS STEEL WASTE BIN	Basic model	Ø 400x570 H	P 01
		With wheels	Ø 400x570 H	P 02
		With wheels and	Ø 400x570 H	P 03

* Wooden cage +2% minimum + €

Special dimensions for tables upon request

Tables shown in right-to-left version



DIHR ALI GROUP SRL

Via del Lavoro, 28
I - 31033 Castelfranco Veneto (TV)
T: +39 0423 7344
F: +39 0423 720442
E: dihr@dihr.com

Service:

T. +39 0423 734548
F: +39 0423 734519
E: service@dihr.com

www.dihr.com

Edition 09.2023

an Ali Group Company



The Spirit of Excellence